



Queensland Government

Environmental Protection Agency Queensland Parks and Wildlife Service

Wildlife Online Extract

Search Criteria: Species List for a Selected Area
Species: All
Type: Native
Status: All
Records: All
Area: Good Night Scrub National Park
Email: ~~EPAS@epa.qld.gov.au~~
Date submitted: Tuesday 06 Jul 2010 09:50:16
Date extracted: Tuesday 06 Jul 2010 10:01:02

The number of records retrieved = 648

Disclaimer

As the EPA is still in a process of collating and vetting data, it is possible the information given is not complete. The information provided should only be used for the project for which it was requested and it should be appropriately acknowledged as being derived from Wildlife Online when it is used.

The State of Queensland does not invite reliance upon, nor accept responsibility for this information. Persons should satisfy themselves through independent means as to the accuracy and completeness of this information.

No statements, representations or warranties are made about the accuracy or completeness of this information. The State of Queensland disclaims all responsibility for this information and all liability (including without limitation, liability in negligence) for all expenses, losses, damages and costs you may incur as a result of the information being inaccurate or incomplete in any way for any reason.

| Kingdom | Class | Family | Scientific Name | Common Name | I | Q | A | Records |
|---------|------------|-----------------|---|---------------------------------------|---|----|---|---------|
| animals | amphibians | Hylidae | <i>Litoria wilcoxii</i> | eastern stony creek frog | | C | | 2 |
| animals | amphibians | Hylidae | <i>Litoria caerulea</i> | common green treefrog | | C | | 4 |
| animals | amphibians | Hylidae | <i>Litoria brevipalmata</i> | green thighed frog | | NT | | 1 |
| animals | amphibians | Hylidae | <i>Litoria latopalmata</i> | broad palmed rocketfrog | | C | | 2 |
| animals | amphibians | Hylidae | <i>Litoria rubella</i> | ruddy treefrog | | C | | 1 |
| animals | amphibians | Hylidae | <i>Litoria fallax</i> | eastern sedgefrog | | C | | 2 |
| animals | amphibians | Limnodynastidae | <i>Adelotus brevis</i> | tusked frog | | V | | 2 |
| animals | amphibians | Limnodynastidae | <i>Limnodynastes terraereginae</i> | scarlet sided pobblebonk | | C | | 1 |
| animals | amphibians | Limnodynastidae | <i>Limnodynastes peronii</i> | striped marshfrog | | C | | 1 |
| animals | amphibians | Myobatrachidae | <i>Mixophyes fasciolatus</i> | great barred frog | | C | | 2 |
| animals | birds | Acanthizidae | <i>Acanthiza pusilla</i> | brown thornbill | | C | | 7 |
| animals | birds | Acanthizidae | <i>Acanthiza nana</i> | yellow thornbill | | C | | 1 |
| animals | birds | Acanthizidae | <i>Gerygone mouki</i> | brown gerygone | | C | | 2 |
| animals | birds | Acanthizidae | <i>Gerygone palpebrosa</i> | fairy gerygone | | C | | 1 |
| animals | birds | Acanthizidae | <i>Sericornis frontalis</i> | white-browed scrubwren | | C | | 5 |
| animals | birds | Acanthizidae | <i>Sericornis magnirostra</i> | large-billed scrubwren | | C | | 6 |
| animals | birds | Acanthizidae | <i>Gerygone albogularis</i> | white-throated gerygone | | C | | 3 |
| animals | birds | Accipitridae | <i>Accipiter cirrocephalus</i> | collared sparrowhawk | | C | | 2 |
| animals | birds | Accipitridae | <i>Aquila audax</i> | wedge-tailed eagle | | C | | 2 |
| animals | birds | Accipitridae | <i>Accipiter fasciatus</i> | brown goshawk | | C | | 2 |
| animals | birds | Accipitridae | <i>Lophoictinia isura</i> | square-tailed kite | | NT | | 1 |
| animals | birds | Accipitridae | <i>Pandion cristatus</i> | eastern osprey | | C | | 1 |
| animals | birds | Accipitridae | <i>Haliastur sphenurus</i> | whistling kite | | C | | 1 |
| animals | birds | Accipitridae | <i>Aviceda subcristata</i> | Pacific baza | | C | | 3 |
| animals | birds | Aegothelidae | <i>Aegotheles cristatus</i> | Australian owlet-nightjar | | C | | 1 |
| animals | birds | Alcedinidae | <i>Ceyx azureus</i> | azure kingfisher | | C | | 3 |
| animals | birds | Anatidae | <i>Anas superciliosa</i> | Pacific black duck | | C | | 3 |
| animals | birds | Anhingidae | <i>Anhinga novaehollandiae</i> | Australasian darter | | C | | 1 |
| animals | birds | Ardeidae | <i>Egretta novaehollandiae</i> | white-faced heron | | C | | 2 |
| animals | birds | Artamidae | <i>Artamus cyanopterus</i> | dusky woodswallow | | C | | 1 |
| animals | birds | Artamidae | <i>Artamus cinereus</i> | black-faced woodswallow | | C | | 1 |
| animals | birds | Artamidae | <i>Cracticus torquatus</i> | grey butcherbird | | C | | 6 |
| animals | birds | Artamidae | <i>Artamus minor</i> | little woodswallow | | C | | 1 |
| animals | birds | Artamidae | <i>Cracticus tibicen</i> | Australian magpie | | C | | 9 |
| animals | birds | Artamidae | <i>Strepera graculina</i> | pieb currawong | | C | | 18 |
| animals | birds | Artamidae | <i>Cracticus nigrogularis</i> | pieb butcherbird | | C | | 9 |
| animals | birds | Cacatuidae | <i>Calyptorhynchus banksii</i> | red-tailed black-cockatoo | | C | | 3 |
| animals | birds | Cacatuidae | <i>Cacatua galerita</i> | sulphur-crested cockatoo | | C | | 2 |
| animals | birds | Campephagidae | <i>Coracina papuensis</i> | white-bellied cuckoo-shrike | | C | | 4 |
| animals | birds | Campephagidae | <i>Coracina lineata</i> | barred cuckoo-shrike | | C | | 3 |
| animals | birds | Campephagidae | <i>Lalage leucomela</i> | varied triller | | C | | 3 |
| animals | birds | Campephagidae | <i>Coracina tenuirostris</i> | cicadabird | | C | | 3 |
| animals | birds | Campephagidae | <i>Coracina novaehollandiae</i> | black-faced cuckoo-shrike | | C | | 9 |
| animals | birds | Charadriidae | <i>Vanellus miles novaehollandiae</i> | masked lapwing (southern subspecies) | | C | | 2 |
| animals | birds | Climacteridae | <i>Cormobates leucophaea metastasis</i> | white-throated treecreeper (southern) | | C | | 5 |
| animals | birds | Climacteridae | <i>Climacteris picumnus</i> | brown treecreeper | | C | | 1 |

| Kingdom | Class | Family | Scientific Name | Common Name | I | Q | A | Records |
|---------|-------|----------------|----------------------------------|---------------------------|---|---|---|---------|
| animals | birds | Columbidae | <i>Geopelia humeralis</i> | bar-shouldered dove | | C | | 16 |
| animals | birds | Columbidae | <i>Chalcophaps indica</i> | emerald dove | | C | | 7 |
| animals | birds | Columbidae | <i>Macropygia amboinensis</i> | brown cuckoo-dove | | C | | 6 |
| animals | birds | Columbidae | <i>Ocyphaps lophotes</i> | crested pigeon | | C | | 3 |
| animals | birds | Columbidae | <i>Geopelia striata</i> | peaceful dove | | C | | 3 |
| animals | birds | Columbidae | <i>Leucosarcia picata</i> | wonga pigeon | | C | | 9 |
| animals | birds | Coraciidae | <i>Eurystomus orientalis</i> | dollarbird | | C | | 3 |
| animals | birds | Corcoracidae | <i>Corcorax melanorhamphos</i> | white-winged chough | | C | | 3 |
| animals | birds | Corvidae | <i>Corvus orru</i> | Torresian crow | | C | | 8 |
| animals | birds | Cuculidae | <i>Cacomantis flabelliformis</i> | fan-tailed cuckoo | | C | | 8 |
| animals | birds | Cuculidae | <i>Cacomantis variolosus</i> | brush cuckoo | | C | | 1 |
| animals | birds | Cuculidae | <i>Scythrops novaehollandiae</i> | channel-billed cuckoo | | C | | 4 |
| animals | birds | Cuculidae | <i>Chalcites lucidus</i> | shining bronze-cuckoo | | C | | 1 |
| animals | birds | Cuculidae | <i>Centropus phasianinus</i> | pheasant coucal | | C | | 5 |
| animals | birds | Cuculidae | <i>Eudynamys orientalis</i> | eastern koel | | C | | 4 |
| animals | birds | Dicruridae | <i>Dicrurus bracteatus</i> | spangled drongo | | C | | 11 |
| animals | birds | Estrildidae | <i>Neochmia temporalis</i> | red-browed finch | | C | | 7 |
| animals | birds | Estrildidae | <i>Taeniopygia bichenovii</i> | double-barred finch | | C | | 1 |
| animals | birds | Eurostopodidae | <i>Eurostopodus argus</i> | spotted nightjar | | C | | 2 |
| animals | birds | Eurostopodidae | <i>Eurostopodus mystacalis</i> | white-throated nightjar | | C | | 2 |
| animals | birds | Falconidae | <i>Falco berigora</i> | brown falcon | | C | | 2 |
| animals | birds | Falconidae | <i>Falco subniger</i> | black falcon | | C | | 1 |
| animals | birds | Halcyonidae | <i>Dacelo novaeguineae</i> | laughing kookaburra | | C | | 11 |
| animals | birds | Halcyonidae | <i>Todiramphus macleayii</i> | forest kingfisher | | C | | 2 |
| animals | birds | Hirundinidae | <i>Hirundo neoxena</i> | welcome swallow | | C | | 3 |
| animals | birds | Maluridae | <i>Malurus melanocephalus</i> | red-backed fairy-wren | | C | | 8 |
| animals | birds | Maluridae | <i>Malurus lamberti</i> | variegated fairy-wren | | C | | 3 |
| animals | birds | Megapodiidae | <i>Alectura lathami</i> | Australian brush-turkey | | C | | 7 |
| animals | birds | Meliphagidae | <i>Myzomela obscura</i> | dusky honeyeater | | C | | 3 |
| animals | birds | Meliphagidae | <i>Melithreptus albogularis</i> | white-throated honeyeater | | C | | 6 |
| animals | birds | Meliphagidae | <i>Myzomela sanguinolenta</i> | scarlet honeyeater | | C | | 10 |
| animals | birds | Meliphagidae | <i>Philemon citreogularis</i> | little friarbird | | C | | 3 |
| animals | birds | Meliphagidae | <i>Philemon corniculatus</i> | noisy friarbird | | C | | 12 |
| animals | birds | Meliphagidae | <i>Lichmera indistincta</i> | brown honeyeater | | C | | 2 |
| animals | birds | Meliphagidae | <i>Manorina flavigula</i> | yellow-throated miner | | C | | 1 |
| animals | birds | Meliphagidae | <i>Manorina melanocephala</i> | noisy miner | | C | | 6 |
| animals | birds | Meliphagidae | <i>Meliphaga lewinii</i> | Lewin's honeyeater | | C | | 22 |
| animals | birds | Meliphagidae | <i>Melithreptus brevirostris</i> | brown-headed honeyeater | | C | | 1 |
| animals | birds | Meliphagidae | <i>Entomyzon cyanotis</i> | blue-faced honeyeater | | C | | 1 |
| animals | birds | Meropidae | <i>Merops ornatus</i> | rainbow bee-eater | | C | | 5 |
| animals | birds | Monarchidae | <i>Symposiarchus trivirgatus</i> | spectacled monarch | | C | | 2 |
| animals | birds | Monarchidae | <i>Monarcha melanopsis</i> | black-faced monarch | | C | | 2 |
| animals | birds | Monarchidae | <i>Grallina cyanoleuca</i> | magpie-lark | | C | | 3 |
| animals | birds | Monarchidae | <i>Myiagra rubecula</i> | leaden flycatcher | | C | | 11 |
| animals | birds | Monarchidae | <i>Carterornis leucotis</i> | white-eared monarch | | C | | 4 |
| animals | birds | Motacillidae | <i>Anthus novaeseelandiae</i> | Australasian pipit | | C | | 1 |

| Kingdom | Class | Family | Scientific Name | Common Name | I | Q | A | Records |
|---------|-----------|-------------------|--|---|---|---|---|---------|
| animals | birds | Nectariniidae | <i>Dicaeum hirundinaceum</i> | mistletoebird | | C | | 4 |
| animals | birds | Neosittidae | <i>Daphoenositta chrysoptera</i> | varied sittella | | C | | 2 |
| animals | birds | Oriolidae | <i>Sphecotheres vieilloti</i> | Australasian figbird | | C | | 7 |
| animals | birds | Oriolidae | <i>Oriolus sagittatus</i> | olive-backed oriole | | C | | 6 |
| animals | birds | Pachycephalidae | <i>Colluricincla megarhyncha</i> | little shrike-thrush | | C | | 6 |
| animals | birds | Pachycephalidae | <i>Pachycephala rufiventris</i> | rufous whistler | | C | | 13 |
| animals | birds | Pachycephalidae | <i>Colluricincla harmonica</i> | grey shrike-thrush | | C | | 11 |
| animals | birds | Pachycephalidae | <i>Pachycephala pectoralis</i> | golden whistler | | C | | 6 |
| animals | birds | Pardalotidae | <i>Pardalotus striatus</i> | striated pardalote | | C | | 6 |
| animals | birds | Pardalotidae | <i>Pardalotus punctatus</i> | spotted pardalote | | C | | 1 |
| animals | birds | Petroicidae | <i>Eopsaltria australis</i> | eastern yellow robin | | C | | 5 |
| animals | birds | Petroicidae | <i>Petroica rosea</i> | rose robin | | C | | 2 |
| animals | birds | Petroicidae | <i>Melanodryas cucullata</i> | hooded robin | | C | | 1 |
| animals | birds | Phalacrocoracidae | <i>Phalacrocorax varius</i> | pied cormorant | | C | | 2 |
| animals | birds | Phalacrocoracidae | <i>Microcarbo melanoleucos</i> | little pied cormorant | | C | | 1 |
| animals | birds | Pittidae | <i>Pitta versicolor</i> | noisy pitta | | C | | 2 |
| animals | birds | Podicipedidae | <i>Poliocephalus poliocephalus</i> | hoary-headed grebe | | C | | 1 |
| animals | birds | Psittacidae | <i>Alisterus scapularis</i> | Australian king-parrot | | C | | 14 |
| animals | birds | Psittacidae | <i>Glossopsitta pusilla</i> | little lorikeet | | C | | 1 |
| animals | birds | Psittacidae | <i>Platycercus adscitus</i> | pale-headed rosella | | C | | 11 |
| animals | birds | Psittacidae | <i>Trichoglossus chlorolepidotus</i> | scaly-breasted lorikeet | | C | | 5 |
| animals | birds | Psittacidae | <i>Trichoglossus haematodus moluccanus</i> | rainbow lorikeet | | C | | 14 |
| animals | birds | Psophodidae | <i>Psophodes olivaceus</i> | eastern whipbird | | C | | 12 |
| animals | birds | Ptilonorhynchidae | <i>Sericulus chrysocephalus</i> | regent bowerbird | | C | | 2 |
| animals | birds | Rallidae | <i>Fulica atra</i> | Eurasian coot | | C | | 1 |
| animals | birds | Rallidae | <i>Gallinula tenebrosa</i> | dusky moorhen | | C | | 1 |
| animals | birds | Rhipiduridae | <i>Rhipidura rufifrons</i> | rufous fantail | | C | | 6 |
| animals | birds | Rhipiduridae | <i>Rhipidura leucophrys</i> | willie wagtail | | C | | 1 |
| animals | birds | Rhipiduridae | <i>Rhipidura albiscapa</i> | grey fantail | | C | | 8 |
| animals | birds | Strigidae | <i>Ninox strenua</i> | powerful owl | | V | | 3 |
| animals | birds | Strigidae | <i>Ninox boobook</i> | southern boobook | | C | | 5 |
| animals | birds | Timaliidae | <i>Zosterops lateralis</i> | silveryeye | | C | | 5 |
| animals | birds | Turnicidae | <i>Turnix varius</i> | painted button-quail | | C | | 2 |
| animals | bony fish | Ceratodontidae | <i>Neoceratodus forsteri</i> | Australian lungfish | | | V | 1 |
| animals | insects | Lycaenidae | <i>Zizina labradus labradus</i> | common grass-blue (Australian subspecies) | | | | 1 |
| animals | insects | Lycaenidae | <i>Leptotes plinius pseudocassius</i> | plumbago blue | | | | 1 |
| animals | insects | Lycaenidae | <i>Lampides boeticus</i> | long-tailed pea-blue | | | | 1 |
| animals | insects | Lycaenidae | <i>Psychonotis caelius</i> | small green-banded blue | | | | 1 |
| animals | insects | Lycaenidae | <i>Nacaduba berenice berenice</i> | large purple line-blue | | | | 1 |
| animals | insects | Lycaenidae | <i>Catopyrops florinda halys</i> | speckled line-blue (southern subspecies) | | | | 1 |
| animals | insects | Lycaenidae | <i>Theclinesstes onycha onycha</i> | cycad blue (southern subspecies) | | | | 1 |
| animals | insects | Lycaenidae | <i>Candalides hyacinthina hyacinthina</i> | varied dusky-blue (southern subspecies) | | | | 2 |
| animals | insects | Lycaenidae | <i>Ogyris zosine zosine</i> | northern purple azure (southern subspecies) | | | | 1 |

| Kingdom | Class | Family | Scientific Name | Common Name | I | Q | A | Records |
|---------|---------|----------------|--|--|---|---|---|---------|
| animals | insects | Lycaenidae | <i>Candalides margarita margarita</i> | trident pencilled-blue | | | | 1 |
| animals | insects | Nymphalidae | <i>Euploea core corinna</i> | common crow | | | | 2 |
| animals | insects | Nymphalidae | <i>Tirumala hamata hamata</i> | blue tiger | | | | 2 |
| animals | insects | Nymphalidae | <i>Danaus plexippus plexippus</i> | monarch | | | | 1 |
| animals | insects | Nymphalidae | <i>Danaus chrysippus petilia</i> | lesser wanderer | | | | 1 |
| animals | insects | Nymphalidae | <i>Junonia villida calybe</i> | meadow argus | | | | 1 |
| animals | insects | Nymphalidae | <i>Phaedyma shepherdii shepherdii</i> | white-banded plane (southern subspecies) | | | | 1 |
| animals | insects | Nymphalidae | <i>Acraea andromacha andromacha</i> | glasswing | | | | 2 |
| animals | insects | Nymphalidae | <i>Hypocysta metirius</i> | brown ringlet | | | | 1 |
| animals | insects | Nymphalidae | <i>Ypthima arctous arctous</i> | dusky knight | | | | 1 |
| animals | insects | Nymphalidae | <i>Polyura sempronius sempronius</i> | tailed emperor | | | | 1 |
| animals | insects | Nymphalidae | <i>Cupha prosope prosope</i> | bordered rustic (Australian subspecies) | | | | 1 |
| animals | insects | Nymphalidae | <i>Vanessa itea</i> | yellow admiral | | | | 1 |
| animals | insects | Papilionidae | <i>Cressida cressida cressida</i> | greasy swallowtail | | | | 1 |
| animals | insects | Papilionidae | <i>Papilio aegaeus aegaeus</i> | orchard swallowtail (Australian subspecies) | | | | 2 |
| animals | insects | Papilionidae | <i>Graphium eurypylus lycaon</i> | pale-blue triangle (eastern subspecies) | | | | 1 |
| animals | insects | Papilionidae | <i>Papilio fuscus capaneus</i> | fuscous swallowtail (Australian subspecies) | | | | 1 |
| animals | insects | Papilionidae | <i>Papilio demoleus sthenelus</i> | chequered swallowtail | | | | 2 |
| animals | insects | Papilionidae | <i>Graphium sarpedon choredon</i> | blue triangle | | | | 1 |
| animals | insects | Papilionidae | <i>Protographium leosthenes leosthenes</i> | four-barred swordtail | | | | 1 |
| animals | insects | Pieridae | <i>Appias paulina ego</i> | yellow albatross | | | | 2 |
| animals | insects | Pieridae | <i>Delias nysa nysa</i> | yellow-spotted jezebel (Australian subspecies) | | | | 1 |
| animals | insects | Pieridae | <i>Elodina angulipennis</i> | southern pearl-white | | | | 1 |
| animals | insects | Pieridae | <i>Belenois java teutonia</i> | caper white | | | | 1 |
| animals | insects | Pieridae | <i>Cepora perimale scyllara</i> | caper gull (Australian subspecies) | | | | 1 |
| animals | insects | Pieridae | <i>Eurema hecabe phoebus</i> | large grass-yellow | | | | 1 |
| animals | insects | Pieridae | <i>Catopsilia gorgophone gorgophone</i> | yellow migrant | | | | 2 |
| animals | insects | Pieridae | <i>Catopsilia pyranthe crokera</i> | white migrant | | | | 1 |
| animals | insects | Pieridae | <i>Eurema herla</i> | pink grass-yellow | | | | 1 |
| animals | mammals | Canidae | <i>Canis lupus dingo</i> | dingo | | | | 1 |
| animals | mammals | Emballonuridae | <i>Saccolaimus flaviventris</i> | yellow-bellied sheath-tail bat | | | C | 1 |
| animals | mammals | Macropodidae | <i>Macropus dorsalis</i> | black-striped wallaby | | | C | 2 |
| animals | mammals | Macropodidae | <i>Macropus giganteus</i> | eastern grey kangaroo | | | C | 2 |
| animals | mammals | Macropodidae | <i>Wallabia bicolor</i> | swamp wallaby | | | C | 4 |
| animals | mammals | Macropodidae | <i>Thylogale stigmatica</i> | red-legged pademelon | | | C | 1 |
| animals | mammals | Macropodidae | <i>Macropus rufogriseus</i> | red-necked wallaby | | | C | 1 |
| animals | mammals | Muridae | <i>Melomys cervinipes</i> | fawn-footed melomys | | | C | 4 |
| animals | mammals | Peramelidae | <i>Isodon macrourus</i> | northern brown bandicoot | | | C | 1 |
| animals | mammals | Petauridae | <i>Petaurus norfolcensis</i> | squirrel glider | | | C | 2 |
| animals | mammals | Petauridae | <i>Petaurus breviceps</i> | sugar glider | | | C | 1 |

| Kingdom | Class | Family | Scientific Name | Common Name | I | Q | A | Records |
|---------|------------|------------------|--|---|---|---|---|---------|
| animals | mammals | Petauridae | <i>Petaurus australis australis</i> | yellow-bellied glider (southern subspecies) | | C | | 1 |
| animals | mammals | Phalangeridae | <i>Trichosurus vulpecula</i> | common brushtail possum | | C | | 3 |
| animals | mammals | Phalangeridae | <i>Trichosurus caninus</i> | short-eared possum | | C | | 2 |
| animals | mammals | Phascolarctidae | <i>Phascolarctos cinereus (southeast Queensland bioregion)</i> | koala (southeast Queensland bioregion) | | V | | 2 |
| animals | mammals | Potoroidae | <i>Aepyprymnus rufescens</i> | rufous bettong | | C | | 2 |
| animals | mammals | Pseudocheiridae | <i>Pseudocheirus peregrinus</i> | common ringtail possum | | C | | 3 |
| animals | mammals | Pseudocheiridae | <i>Petauroides volans</i> | greater glider | | C | | 1 |
| animals | mammals | Pteropodidae | <i>Pteropus scapulatus</i> | little red flying-fox | | C | | 2 |
| animals | mammals | Tachyglossidae | <i>Tachyglossus aculeatus</i> | short-beaked echidna | | C | | 9 |
| animals | mammals | Vespertilionidae | <i>Miniopterus australis</i> | little bent-wing bat | | C | | 2 |
| animals | reptiles | Agamidae | <i>Diporiphora australis</i> | | | C | | 1 |
| animals | reptiles | Agamidae | <i>Pogona barbata</i> | bearded dragon | | C | | 4 |
| animals | reptiles | Agamidae | <i>Physignathus lesueurii</i> | eastern water dragon | | C | | 2 |
| animals | reptiles | Boidae | <i>Antaresia maculosa</i> | spotted python | | C | | 1 |
| animals | reptiles | Boidae | <i>Morelia spilota</i> | carpet python | | C | | 1/1 |
| animals | reptiles | Chelidae | <i>Chelodina expansa</i> | broad-shelled river turtle | | C | | 1 |
| animals | reptiles | Colubridae | <i>Dendrelaphis punctulata</i> | common tree snake | | C | | 1 |
| animals | reptiles | Elapidae | <i>Pseudechis porphyriacus</i> | red-bellied black snake | | C | | 1 |
| animals | reptiles | Elapidae | <i>Rhinoplocephalus nigrescens</i> | eastern small-eyed snake | | C | | 2 |
| animals | reptiles | Gekkonidae | <i>Gehyra dubia</i> | | | C | | 1 |
| animals | reptiles | Gekkonidae | <i>Heteronotia binoei</i> | Bynoe's gecko | | C | | 3 |
| animals | reptiles | Gekkonidae | <i>Oedura tryoni</i> | southern spotted velvet gecko | | C | | 4 |
| animals | reptiles | Gekkonidae | <i>Nephurus milii</i> | | | C | | 1 |
| animals | reptiles | Pygopodidae | <i>Lialis burtonis</i> | Burton's legless lizard | | C | | 2 |
| animals | reptiles | Scincidae | <i>Lygisaurus foliorum</i> | | | C | | 1 |
| animals | reptiles | Scincidae | <i>Eulamprus quoyii</i> | eastern water skink | | C | | 3 |
| animals | reptiles | Scincidae | <i>Lampropholis adonis</i> | | | C | | 2 |
| animals | reptiles | Scincidae | <i>Lampropholis amicula</i> | | | C | | 2 |
| animals | reptiles | Scincidae | <i>Ctenotus robustus</i> | | | C | | 2 |
| animals | reptiles | Scincidae | <i>Cryptoblepharus pulcher pulcher</i> | elegant snake-eyed skink | | C | | 2 |
| animals | reptiles | Scincidae | <i>Carlia schmeltzii</i> | | | C | | 2 |
| animals | reptiles | Scincidae | <i>Carlia pectoralis</i> | | | C | | 9 |
| animals | reptiles | Scincidae | <i>Ctenotus taeniolatus</i> | copper-tailed skink | | C | | 3 |
| animals | reptiles | Scincidae | <i>Calyptotis scutirostrum</i> | | | C | | 3 |
| animals | reptiles | Varanidae | <i>Varanus varius</i> | lace monitor | | C | | 4 |
| fungi | club fungi | Basidiomycota | <i>Phellinus pectinatus</i> | | | C | | 1/1 |
| fungi | sac fungi | Parmeliaceae | <i>Parmotrema judithae</i> | | | C | | 2/2 |
| fungi | sac fungi | Parmeliaceae | <i>Parmotrema cristiferum</i> | | | C | | 1/1 |
| fungi | sac fungi | Phylloporaceae | <i>Phyllopsora</i> | | | C | | 1/1 |
| fungi | sac fungi | Physciaceae | <i>Physcia</i> | | | C | | 1/1 |
| fungi | sac fungi | Physciaceae | <i>Dirinaria</i> | | | C | | 2/2 |
| fungi | sac fungi | Physciaceae | <i>Dirinaria aegialita</i> | | | C | | 1/1 |
| fungi | sac fungi | Usneaceae | <i>Usnea dasaea</i> | | | C | | 1/1 |
| fungi | sac fungi | Usneaceae | <i>Usnea rubicunda</i> | | | C | | 1/1 |

| Kingdom | Class | Family | Scientific Name | Common Name | I | Q | A | Records |
|---------|---------------|------------------|---|--------------------|---|---|---|---------|
| plants | conifers | Araucariaceae | <i>Araucaria cunninghamii</i> | hoop pine | | C | | 63 |
| plants | cycads | Cycadaceae | <i>Cycas megacarpa</i> | | | E | E | 2/2 |
| plants | cycads | Zamiaceae | <i>Macrozamia miquelii</i> | | | C | | 2 |
| plants | cycads | Zamiaceae | <i>Macrozamia</i> | | | C | | 1 |
| plants | cycads | Zamiaceae | <i>Macrozamia mountperriensis</i> | | | C | | 42/8 |
| plants | ferns | Adiantaceae | <i>Pellaea nana</i> | | | C | | 2/1 |
| plants | ferns | Adiantaceae | <i>Doryopteris concolor</i> | | | C | | 9/2 |
| plants | ferns | Adiantaceae | <i>Pellaea falcata</i> | | | C | | 7/2 |
| plants | ferns | Adiantaceae | <i>Cheilanthes sieberi</i> | | | C | | 5 |
| plants | ferns | Adiantaceae | <i>Cheilanthes</i> | | | C | | 1 |
| plants | ferns | Adiantaceae | <i>Cheilanthes distans</i> | bristly cloak fern | | C | | 2 |
| plants | ferns | Adiantaceae | <i>Adiantum hispidulum</i> | | | C | | 7 |
| plants | ferns | Aspleniaceae | <i>Asplenium attenuatum</i> | walking fern | | C | | 4/2 |
| plants | ferns | Blechnaceae | <i>Doodia</i> | | | C | | 1/1 |
| plants | ferns | Dryopteridaceae | <i>Lastreopsis microsora</i> | | | C | | 1 |
| plants | ferns | Dryopteridaceae | <i>Lastreopsis decomposita</i> | trim shield fern | | C | | 2 |
| plants | ferns | Dryopteridaceae | <i>Lastreopsis</i> | | | C | | 5 |
| plants | ferns | Dryopteridaceae | <i>Lastreopsis tenera</i> | | | C | | 4/3 |
| plants | ferns | Polypodiaceae | <i>Drynaria sparsisora</i> | | | C | | 7/1 |
| plants | ferns | Polypodiaceae | <i>Pyrrosia confluens</i> | | | C | | 1/1 |
| plants | ferns | Polypodiaceae | <i>Drynaria rigidula</i> | | | C | | 1 |
| plants | ferns | Polypodiaceae | <i>Pyrrosia rupestris</i> | rock felt fern | | C | | 2 |
| plants | ferns | Thelypteridaceae | <i>Christella dentata</i> | creek fern | | C | | 1/1 |
| plants | higher dicots | Acanthaceae | <i>Brunoniella australis</i> | blue trumpet | | C | | 2 |
| plants | higher dicots | Acanthaceae | <i>Harnieria hygrophiloides</i> | white karambal | | C | | 1 |
| plants | higher dicots | Acanthaceae | <i>Graptophyllum spinigerum</i> | | | C | | 2/2 |
| plants | higher dicots | Acanthaceae | <i>Hypoestes floribunda</i> | | | C | | 3 |
| plants | higher dicots | Acanthaceae | <i>Pseuderanthemum variabile</i> | pastel flower | | C | | 2 |
| plants | higher dicots | Acanthaceae | <i>Hypoestes floribunda var. floribunda</i> | | | C | | 1/1 |
| plants | higher dicots | Acanthaceae | <i>Pseuderanthemum tenellum</i> | | | C | | 6/3 |
| plants | higher dicots | Amaranthaceae | <i>Alternanthera nana</i> | hairy joyweed | | C | | 1 |
| plants | higher dicots | Amaranthaceae | <i>Nyssanthes diffusa</i> | barbed-wire weed | | C | | 2 |
| plants | higher dicots | Amaranthaceae | <i>Amaranthus</i> | | | C | | 1 |
| plants | higher dicots | Amaranthaceae | <i>Deeringia amaranthoides</i> | redberry | | C | | 1/1 |
| plants | higher dicots | Anacardiaceae | <i>Euroschinus falcatus var. falcatus</i> | | | C | | 3 |
| plants | higher dicots | Anacardiaceae | <i>Pleogynium timorense</i> | Burdekin plum | | C | | 26 |
| plants | higher dicots | Anacardiaceae | <i>Rhodospaera rhodanthema</i> | tulip satinwood | | C | | 1 |
| plants | higher dicots | Apocynaceae | <i>Marsdenia micradenia</i> | gymnema | | C | | 3 |
| plants | higher dicots | Apocynaceae | <i>Alyxia magnifolia</i> | | | C | | 7/1 |
| plants | higher dicots | Apocynaceae | <i>Tylophora grandiflora</i> | | | C | | 1 |
| plants | higher dicots | Apocynaceae | <i>Parsonsia rotata</i> | veinless silkpod | | C | | 4/1 |
| plants | higher dicots | Apocynaceae | <i>Secamone elliptica</i> | | | C | | 28/1 |
| plants | higher dicots | Apocynaceae | <i>Parsonsia lanceolata</i> | northern silkpod | | C | | 4/1 |
| plants | higher dicots | Apocynaceae | <i>Parsonsia plaesiophylla</i> | | | C | | 1 |
| plants | higher dicots | Apocynaceae | <i>Parsonsia straminea</i> | monkey rope | | C | | 4 |
| plants | higher dicots | Apocynaceae | <i>Parsonsia velutina</i> | hairy silkpod | | C | | 12/4 |

| Kingdom | Class | Family | Scientific Name | Common Name | I | Q | A | Records |
|---------|---------------|-----------------|--|------------------------|---|---|---|---------|
| plants | higher dicots | Apocynaceae | <i>Parsonsia</i> | | | C | | 13 |
| plants | higher dicots | Apocynaceae | <i>Alyxia ruscifolia</i> | | | C | | 42/1 |
| plants | higher dicots | Apocynaceae | <i>Sarcostemma viminale subsp. australe</i> | | | C | | 2 |
| plants | higher dicots | Apocynaceae | <i>Sarcostemma viminale subsp. brunonianum</i> | | | C | | 4/1 |
| plants | higher dicots | Apocynaceae | <i>Alstonia constricta</i> | bitterbark | | C | | 13 |
| plants | higher dicots | Apocynaceae | <i>Carissa ovata</i> | currantbush | | C | | 45 |
| plants | higher dicots | Apocynaceae | <i>Hoya australis</i> | | | C | | 2 |
| plants | higher dicots | Apocynaceae | <i>Marsdenia flavescens</i> | hairy milk vine | | C | | 1 |
| plants | higher dicots | Apocynaceae | <i>Marsdenia viridiflora subsp. viridiflora</i> | | | C | | 2 |
| plants | higher dicots | Apocynaceae | <i>Cynanchum bowmanii</i> | bowman's milkvine | | C | | 6/2 |
| plants | higher dicots | Apocynaceae | <i>Parsonsia leichhardtii</i> | black silkpod | | C | | 7/2 |
| plants | higher dicots | Apocynaceae | <i>Marsdenia pleiadenia</i> | | | C | | 1 |
| plants | higher dicots | Apocynaceae | <i>Parsonsia paulforsteri</i> | | | C | | 1 |
| plants | higher dicots | Araliaceae | <i>Hydrocotyle</i> | | | C | | 1 |
| plants | higher dicots | Araliaceae | <i>Polyscias elegans</i> | celery wood | | C | | 35/1 |
| plants | higher dicots | Asteraceae | <i>Cyanthillium cinereum</i> | | | C | | 5 |
| plants | higher dicots | Asteraceae | <i>Chrysocephalum apiculatum</i> | yellow buttons | | C | | 2/1 |
| plants | higher dicots | Asteraceae | <i>Gynura drymophila</i> | | | C | | 2/2 |
| plants | higher dicots | Asteraceae | <i>Ozothamnus cassinioides</i> | | | C | | 6/1 |
| plants | higher dicots | Asteraceae | <i>Glossocardia bidens</i> | native cobbler's pegs | | C | | 1 |
| plants | higher dicots | Asteraceae | <i>Pterocaulon sphacelatum</i> | applebush | | C | | 6/1 |
| plants | higher dicots | Asteraceae | <i>Sigesbeckia orientalis</i> | Indian weed | | C | | 2 |
| plants | higher dicots | Asteraceae | <i>Olearia canescens</i> | | | C | | 10/1 |
| plants | higher dicots | Bignoniaceae | <i>Pandorea pandorana</i> | wonga vine | | C | | 31/1 |
| plants | higher dicots | Bignoniaceae | <i>Pandorea jasminoides</i> | | | C | | 1 |
| plants | higher dicots | Bignoniaceae | <i>Pandorea</i> | | | C | | 1 |
| plants | higher dicots | Boraginaceae | <i>Ehretia membranifolia</i> | weeping koda | | C | | 2 |
| plants | higher dicots | Cactaceae | <i>Opuntia</i> | | | C | | 11 |
| plants | higher dicots | Caesalpiniaceae | <i>Senna</i> | | | C | | 1 |
| plants | higher dicots | Caesalpiniaceae | <i>Senna surattensis</i> | | | C | | 2 |
| plants | higher dicots | Campanulaceae | <i>Lobelia purpurascens</i> | white root | | C | | 1 |
| plants | higher dicots | Campanulaceae | <i>Wahlenbergia gracilis</i> | sprawling bluebell | | C | | 1/1 |
| plants | higher dicots | Campanulaceae | <i>Wahlenbergia</i> | | | C | | 1 |
| plants | higher dicots | Capparaceae | <i>Capparis sarmentosa</i> | scrambling caper | | C | | 15 |
| plants | higher dicots | Capparaceae | <i>Capparis arborea</i> | brush caper berry | | C | | 51/2 |
| plants | higher dicots | Capparaceae | <i>Capparis</i> | | | C | | 1 |
| plants | higher dicots | Capparaceae | <i>Capparis canescens</i> | | | C | | 1 |
| plants | higher dicots | Casuarinaceae | <i>Casuarina cunninghamiana</i> | | | C | | 3 |
| plants | higher dicots | Celastraceae | <i>Elaeodendron melanocarpum</i> | | | C | | 1 |
| plants | higher dicots | Celastraceae | <i>Pleurostylia opposita</i> | | | C | | 3/1 |
| plants | higher dicots | Celastraceae | <i>Maytenus disperma</i> | orange boxwood | | C | | 22 |
| plants | higher dicots | Celastraceae | <i>Denhamia pittosporoides subsp. pittosporoides</i> | | | C | | 3/1 |
| plants | higher dicots | Celastraceae | <i>Elaeodendron australe</i> | | | C | | 2 |
| plants | higher dicots | Celastraceae | <i>Siphonodon australis</i> | ivorywood | | C | | 2 |
| plants | higher dicots | Celastraceae | <i>Celastrus subspicata</i> | large-leaved staffvine | | C | | 11/1 |
| plants | higher dicots | Celastraceae | <i>Denhamia pittosporoides</i> | | | C | | 27 |

| Kingdom | Class | Family | Scientific Name | Common Name | I | Q | A | Records |
|---------|---------------|-----------------|--|------------------------|---|---|---|---------|
| plants | higher dicots | Celastraceae | <i>Denhamia celastroides</i> | broad-leaved boxwood | | C | | 2 |
| plants | higher dicots | Chenopodiaceae | <i>Einadia hastata</i> | | | C | | 1 |
| plants | higher dicots | Convolvulaceae | <i>Evolvulus alsinoides</i> | | | C | | 1 |
| plants | higher dicots | Convolvulaceae | <i>Jacquemontia paniculata</i> var. <i>tomentosa</i> | | | C | | 1/1 |
| plants | higher dicots | Cucurbitaceae | <i>Neoachmandra cunninghamii</i> | | | C | | 1/1 |
| plants | higher dicots | Cucurbitaceae | <i>Diplocyclos palmatus</i> subsp. <i>palmatus</i> | | | C | | 2 |
| plants | higher dicots | Ebenaceae | <i>Diospyros humilis</i> | small-leaved ebony | | C | | 10/1 |
| plants | higher dicots | Ebenaceae | <i>Diospyros geminata</i> | scaly ebony | | C | | 47 |
| plants | higher dicots | Ebenaceae | <i>Diospyros australis</i> | black plum | | C | | 7 |
| plants | higher dicots | Ebenaceae | <i>Diospyros pentamera</i> | myrtle ebony | | C | | 1 |
| plants | higher dicots | Ebenaceae | <i>Diospyros fasciculosa</i> | grey ebony | | C | | 2 |
| plants | higher dicots | Elaeocarpaceae | <i>Elaeocarpus obovatus</i> | blueberry ash | | C | | 4 |
| plants | higher dicots | Ericaceae | <i>Melichrus adpressus</i> | | | C | | 1/1 |
| plants | higher dicots | Erythroxylaceae | <i>Erythroxylum australe</i> | cocaine tree | | C | | 10 |
| plants | higher dicots | Erythroxylaceae | <i>Erythroxylum</i> sp. (<i>Splityard Creek L.Pedley 5360</i>) | | | C | | 1/1 |
| plants | higher dicots | Euphorbiaceae | <i>Claoxylon tenerifolium</i> subsp. <i>tenerifolium</i> | | | C | | 3/3 |
| plants | higher dicots | Euphorbiaceae | <i>Croton pheballoides</i> | narrow-leaved croton | | C | | 5/2 |
| plants | higher dicots | Euphorbiaceae | <i>Excoecaria dallachyana</i> | scrub poison tree | | C | | 17/1 |
| plants | higher dicots | Euphorbiaceae | <i>Tragia novae-hollandiae</i> | stinging-vine | | C | | 11 |
| plants | higher dicots | Euphorbiaceae | <i>Mallotus claoxyloides</i> | green kamala | | C | | 12/1 |
| plants | higher dicots | Euphorbiaceae | <i>Acalypha capillipes</i> | small-leaved acalypha | | C | | 3 |
| plants | higher dicots | Euphorbiaceae | <i>Croton acronychioides</i> | thick-leaved croton | | C | | 17/2 |
| plants | higher dicots | Euphorbiaceae | <i>Mallotus discolor</i> | white kamala | | C | | 3 |
| plants | higher dicots | Euphorbiaceae | <i>Baloghia inophylla</i> | scrub bloodwood | | C | | 3 |
| plants | higher dicots | Euphorbiaceae | <i>Mallotus philippensis</i> | red kamala | | C | | 27 |
| plants | higher dicots | Euphorbiaceae | <i>Excoecaria agallocha</i> | milky mangrove | | C | | 2 |
| plants | higher dicots | Euphorbiaceae | <i>Croton insularis</i> | Queensland cascarilla | | C | | 32 |
| plants | higher dicots | Euphorbiaceae | <i>Claoxylon australe</i> | brittlewood | | C | | 3 |
| plants | higher dicots | Euphorbiaceae | <i>Acalypha</i> | | | C | | 3 |
| plants | higher dicots | Euphorbiaceae | <i>Acalypha eremorum</i> | soft acalypha | | C | | 32/2 |
| plants | higher dicots | Euphorbiaceae | <i>Claoxylon tenerifolium</i> | Queensland brittlewood | | C | | 4/1 |
| plants | higher dicots | Euphorbiaceae | <i>Alchornea ilicifolia</i> | native holly | | C | | 26 |
| plants | higher dicots | Fabaceae | <i>Austrosteenisia blackii</i> | bloodvine | | C | | 32 |
| plants | higher dicots | Fabaceae | <i>Hardenbergia violacea</i> | | | C | | 3 |
| plants | higher dicots | Fabaceae | <i>Zornia</i> | | | C | | 1 |
| plants | higher dicots | Fabaceae | <i>Indigofera</i> | | | C | | 3 |
| plants | higher dicots | Fabaceae | <i>Flemingia parviflora</i> | flemingia | | C | | 1 |
| plants | higher dicots | Fabaceae | <i>Desmodium varians</i> | slender tick trefoil | | C | | 1 |
| plants | higher dicots | Fabaceae | <i>Rhynchosia minima</i> | | | C | | 1 |
| plants | higher dicots | Fabaceae | <i>Daviesia filipes</i> | | | C | | 1 |
| plants | higher dicots | Fabaceae | <i>Jacksonia scoparia</i> | | | C | | 1 |
| plants | higher dicots | Fabaceae | <i>Indigofera australis</i> | | | C | | 2/1 |
| plants | higher dicots | Fabaceae | <i>Indigofera hirsuta</i> | hairy indigo | | C | | 1 |
| plants | higher dicots | Fabaceae | <i>Galactia tenuiflora</i> | | | C | | 1 |
| plants | higher dicots | Fabaceae | <i>Crotalaria montana</i> | | | C | | 1 |
| plants | higher dicots | Fabaceae | <i>Desmodium rhytidophyllum</i> | | | C | | 4 |

| Kingdom | Class | Family | Scientific Name | Common Name | I | Q | A | Records |
|---------|---------------|------------------|--|--------------------------|---|---|---|---------|
| plants | higher dicots | Fabaceae | <i>Desmodium gunnii</i> | | | C | | 2 |
| plants | higher dicots | Fabaceae | <i>Glycine tabacina</i> | glycine pea | | C | | 3 |
| plants | higher dicots | Flacourtiaceae | <i>Casearia multinervosa</i> | casearia | | C | | 4 |
| plants | higher dicots | Flacourtiaceae | <i>Xylosma terrae-reginae</i> | xylosma | | C | | 1 |
| plants | higher dicots | Goodeniaceae | <i>Goodenia hederacea subsp. hederacea</i> | | | C | | 1 |
| plants | higher dicots | Lamiaceae | <i>Vitex lignum-vitae</i> | | | C | | 7 |
| plants | higher dicots | Lamiaceae | <i>Clerodendrum tomentosum</i> | | | C | | 2 |
| plants | higher dicots | Lamiaceae | <i>Spartothamnella juncea</i> | native broom | | C | | 3 |
| plants | higher dicots | Lamiaceae | <i>Clerodendrum floribundum</i> | | | C | | 8 |
| plants | higher dicots | Lamiaceae | <i>Vitex melicopea</i> | | | C | | 2 |
| plants | higher dicots | Lamiaceae | <i>Plectranthus</i> | | | C | | 1 |
| plants | higher dicots | Lamiaceae | <i>Plectranthus parviflorus</i> | | | C | | 1 |
| plants | higher dicots | Lamiaceae | <i>Glossocarya hemiderma</i> | | | C | | 12/1 |
| plants | higher dicots | Lentibulariaceae | <i>Utricularia dichotoma</i> | fairy aprons | | C | | 1/1 |
| plants | higher dicots | Loganiaceae | <i>Strychnos psilosperma</i> | strychnine tree | | C | | 4 |
| plants | higher dicots | Malvaceae | <i>Sida hackettiana</i> | | | C | | 10 |
| plants | higher dicots | Malvaceae | <i>Abutilon</i> | | | C | | 5/1 |
| plants | higher dicots | Malvaceae | <i>Abutilon auritum</i> | Chinese lantern | | C | | 2 |
| plants | higher dicots | Malvaceae | <i>Hibiscus splendens</i> | pink hibiscus | | C | | 12 |
| plants | higher dicots | Malvaceae | <i>Hibiscus vitifolius</i> | | | C | | 1/1 |
| plants | higher dicots | Malvaceae | <i>Hibiscus</i> | | | C | | 1 |
| plants | higher dicots | Malvaceae | <i>Abutilon oxycarpum</i> | | | C | | 5 |
| plants | higher dicots | Malvaceae | <i>Hibiscus meraukensis</i> | Merauke hibiscus | | C | | 1 |
| plants | higher dicots | Malvaceae | <i>Abutilon oxycarpum var. oxycarpum</i> | | | C | | 1/1 |
| plants | higher dicots | Malvaceae | <i>Abutilon oxycarpum forma oxycarpum</i> | | | C | | 1/1 |
| plants | higher dicots | Malvaceae | <i>Sida</i> | | | C | | 1 |
| plants | higher dicots | Malvaceae | <i>Hibiscus divaricatus</i> | | | C | | 1 |
| plants | higher dicots | Malvaceae | <i>Hibiscus heterophyllus</i> | | | C | | 3 |
| plants | higher dicots | Meliaceae | <i>Dysoxylum rufum</i> | | | C | | 1 |
| plants | higher dicots | Meliaceae | <i>Owenia venosa</i> | crow's apple | | C | | 21 |
| plants | higher dicots | Meliaceae | <i>Toona ciliata</i> | red cedar | | C | | 1 |
| plants | higher dicots | Meliaceae | <i>Turraea pubescens</i> | native honeysuckle | | C | | 54/1 |
| plants | higher dicots | Meliaceae | <i>Melia azedarach</i> | white cedar | | C | | 1 |
| plants | higher dicots | Mimosaceae | <i>Acacia aulacocarpa</i> | | | C | | 23 |
| plants | higher dicots | Mimosaceae | <i>Acacia excelsa</i> | | | C | | 1 |
| plants | higher dicots | Mimosaceae | <i>Acacia leiocalyx</i> | | | C | | 22 |
| plants | higher dicots | Mimosaceae | <i>Acacia fimbriata</i> | Brisbane golden wattle | | C | | 3 |
| plants | higher dicots | Mimosaceae | <i>Acacia podalyriifolia</i> | Queensland silver wattle | | C | | 4 |
| plants | higher dicots | Mimosaceae | <i>Acacia rhodoxylon</i> | ringy rosewood | | C | | 2 |
| plants | higher dicots | Mimosaceae | <i>Pararchidendron pruinatum</i> | | | C | | 3/1 |
| plants | higher dicots | Mimosaceae | <i>Archidendropsis thozetiana</i> | | | C | | 1 |
| plants | higher dicots | Mimosaceae | <i>Acacia bakeri</i> | marblewood | | C | | 1 |
| plants | higher dicots | Mimosaceae | <i>Acacia</i> | | | C | | 2 |
| plants | higher dicots | Mimosaceae | <i>Acacia fasciculifera</i> | scaly bark | | C | | 17 |
| plants | higher dicots | Mimosaceae | <i>Acacia flavescens</i> | toothed wattle | | C | | 2 |
| plants | higher dicots | Mimosaceae | <i>Acacia maidenii</i> | Maiden's wattle | | C | | 32 |

| Kingdom | Class | Family | Scientific Name | Common Name | I | Q | A | Records |
|---------|---------------|----------------|--|----------------------------|---|----|---|---------|
| plants | higher dicots | Mimosaceae | <i>Acacia amblygona</i> | fan-leaf wattle | | C | | 3 |
| plants | higher dicots | Moraceae | <i>Ficus</i> | | | C | | 9 |
| plants | higher dicots | Moraceae | <i>Streblus brunonianus</i> | whalebone tree | | C | | 7 |
| plants | higher dicots | Moraceae | <i>Trophis scandens subsp. scandens</i> | | | C | | 20/1 |
| plants | higher dicots | Moraceae | <i>Maclura cochinchinensis</i> | cockspur thorn | | C | | 3 |
| plants | higher dicots | Moraceae | <i>Ficus opposita</i> | | | C | | 2 |
| plants | higher dicots | Moraceae | <i>Ficus obliqua</i> | | | C | | 3 |
| plants | higher dicots | Moraceae | <i>Ficus coronata</i> | creek sandpaper fig | | C | | 4 |
| plants | higher dicots | Moraceae | <i>Ficus fraseri</i> | white sandpaper fig | | C | | 1 |
| plants | higher dicots | Myoporaceae | <i>Myoporum acuminatum</i> | coastal boobialla | | C | | 1 |
| plants | higher dicots | Myrsinaceae | <i>Myrsine variabilis</i> | | | C | | 26/2 |
| plants | higher dicots | Myrsinaceae | <i>Embelia australiana</i> | embelia | | C | | 1 |
| plants | higher dicots | Myrtaceae | <i>Melaleuca viminalis</i> | | | C | | 2 |
| plants | higher dicots | Myrtaceae | <i>Melaleuca linariifolia</i> | snow-in summer | | C | | 3 |
| plants | higher dicots | Myrtaceae | <i>Gossia bidwillii</i> | | | C | | 22/1 |
| plants | higher dicots | Myrtaceae | <i>Angophora leiocarpa</i> | rusty gum | | C | | 1 |
| plants | higher dicots | Myrtaceae | <i>Eucalyptus acmenoides</i> | | | C | | 3 |
| plants | higher dicots | Myrtaceae | <i>Eucalyptus crebra</i> | narrow-leaved red ironbark | | C | | 44 |
| plants | higher dicots | Myrtaceae | <i>Eugenia reinwardtiana</i> | beach cherry | | C | | 3/2 |
| plants | higher dicots | Myrtaceae | <i>Lophostemon confertus</i> | brush box | | C | | 1 |
| plants | higher dicots | Myrtaceae | <i>Corymbia citriodora</i> | spotted gum | | C | | 21 |
| plants | higher dicots | Myrtaceae | <i>Corymbia clarksoniana</i> | | | C | | 3 |
| plants | higher dicots | Myrtaceae | <i>Corymbia tessellaris</i> | Moreton Bay ash | | C | | 7 |
| plants | higher dicots | Myrtaceae | <i>Corymbia erythrophloia</i> | variable-barked bloodwood | | C | | 3 |
| plants | higher dicots | Myrtaceae | <i>Rhodamnia dumicola</i> | rib-fruited malletwood | | C | | 2 |
| plants | higher dicots | Myrtaceae | <i>Rhodamnia pauciovulata</i> | | | NT | | 4/3 |
| plants | higher dicots | Myrtaceae | <i>Waterhousea floribunda</i> | weeping lilly pilly | | C | | 1 |
| plants | higher dicots | Myrtaceae | <i>Syzygium australe</i> | scrub cherry | | C | | 7/3 |
| plants | higher dicots | Myrtaceae | <i>Lophostemon suaveolens</i> | swamp box | | C | | 9 |
| plants | higher dicots | Myrtaceae | <i>Eucalyptus tereticornis</i> | | | C | | 12 |
| plants | higher dicots | Myrtaceae | <i>Eucalyptus melanophloia</i> | | | C | | 4 |
| plants | higher dicots | Myrtaceae | <i>Eucalyptus exserta</i> | Queensland peppermint | | C | | 7 |
| plants | higher dicots | Myrtaceae | <i>Backhousia angustifolia</i> | narrow-leaved backhousia | | C | | 25/2 |
| plants | higher dicots | Nyctaginaceae | <i>Boerhavia</i> | | | C | | 1 |
| plants | higher dicots | Nyctaginaceae | <i>Pisonia aculeata</i> | thorny Pisonia | | C | | 3 |
| plants | higher dicots | Oleaceae | <i>Jasminum simplicifolium subsp. australiense</i> | | | C | | 8/1 |
| plants | higher dicots | Oleaceae | <i>Jasminum didymum subsp. lineare</i> | | | C | | 1 |
| plants | higher dicots | Oleaceae | <i>Notelaea microcarpa var. microcarpa</i> | | | C | | 4 |
| plants | higher dicots | Oleaceae | <i>Notelaea longifolia</i> | | | C | | 2 |
| plants | higher dicots | Oleaceae | <i>Notelaea microcarpa</i> | | | C | | 34 |
| plants | higher dicots | Oleaceae | <i>Olea paniculata</i> | | | C | | 1 |
| plants | higher dicots | Oleaceae | <i>Jasminum didymum subsp. racemosum</i> | | | C | | 9 |
| plants | higher dicots | Oleaceae | <i>Jasminum didymum</i> | | | C | | 32 |
| plants | higher dicots | Passifloraceae | <i>Passiflora</i> | | | C | | 2 |
| plants | higher dicots | Passifloraceae | <i>Passiflora herbertiana subsp. herbertiana</i> | native passionfruit | | C | | 1 |
| plants | higher dicots | Passifloraceae | <i>Passiflora aurantia</i> | | | C | | 2 |

| Kingdom | Class | Family | Scientific Name | Common Name | I | Q | A | Records |
|---------|---------------|-----------------|---|--------------------------------|---|---|---|---------|
| plants | higher dicots | Phyllanthaceae | <i>Actephila lindleyi</i> | actephila | | C | | 2/1 |
| plants | higher dicots | Phyllanthaceae | <i>Flueggea leucopyrus</i> | | | C | | 3/1 |
| plants | higher dicots | Phyllanthaceae | <i>Phyllanthus virgatus</i> | | | C | | 1 |
| plants | higher dicots | Phyllanthaceae | <i>Breynia oblongifolia</i> | | | C | | 30/1 |
| plants | higher dicots | Phyllanthaceae | <i>Bridelia leichhardtii</i> | | | C | | 16 |
| plants | higher dicots | Phyllanthaceae | <i>Phyllanthus novae-hollandiae</i> | | | C | | 1 |
| plants | higher dicots | Phyllanthaceae | <i>Cleistanthus cunninghamii</i> | omega | | C | | 17/1 |
| plants | higher dicots | Phyllanthaceae | <i>Glochidion ferdinandi</i> | | | C | | 2/1 |
| plants | higher dicots | Phyllanthaceae | <i>Bridelia exaltata</i> | | | C | | 2 |
| plants | higher dicots | Phyllanthaceae | <i>Sauropus albiflorus</i> | snowbush | | C | | 1 |
| plants | higher dicots | Picrodendraceae | <i>Petalostigma pubescens</i> | quinine tree | | C | | 9 |
| plants | higher dicots | Pittosporaceae | <i>Pittosporum viscidum</i> | black-fruited thornbush | | C | | 2 |
| plants | higher dicots | Pittosporaceae | <i>Pittosporum revolutum</i> | yellow pittosporum | | C | | 5/1 |
| plants | higher dicots | Pittosporaceae | <i>Pittosporum spinescens</i> | | | C | | 42 |
| plants | higher dicots | Pittosporaceae | <i>Bursaria incana</i> | | | C | | 1 |
| plants | higher dicots | Plumbaginaceae | <i>Plumbago zeylanica</i> | native plumbago | | C | | 1 |
| plants | higher dicots | Polygalaceae | <i>Polygala linariifolia</i> | | | C | | 1 |
| plants | higher dicots | Proteaceae | <i>Grevillea</i> | | | C | | 1 |
| plants | higher dicots | Proteaceae | <i>Grevillea helmsiae</i> | | | C | | 26/2 |
| plants | higher dicots | Proteaceae | <i>Grevillea striata</i> | beefwood | | C | | 1 |
| plants | higher dicots | Putranjivaceae | <i>Drypetes deplanchei</i> | grey boxwood | | C | | 48/1 |
| plants | higher dicots | Rhamnaceae | <i>Ventilago pubiflora</i> | | | C | | 3 |
| plants | higher dicots | Rhamnaceae | <i>Alphitonia excelsa</i> | soap tree | | C | | 54 |
| plants | higher dicots | Rosaceae | <i>Rubus parvifolius</i> | pink-flowered native raspberry | | C | | 1 |
| plants | higher dicots | Rubiaceae | <i>Triflorensia ixoroides</i> | | | C | | 3/2 |
| plants | higher dicots | Rubiaceae | <i>Psydrax odorata forma buxifolia</i> | | | C | | 8/2 |
| plants | higher dicots | Rubiaceae | <i>Psydrax lamprophylla</i> | | | C | | 1 |
| plants | higher dicots | Rubiaceae | <i>Psydrax oleifolia</i> | | | C | | 1 |
| plants | higher dicots | Rubiaceae | <i>Everistia vacciniifolia</i> | | | C | | 6 |
| plants | higher dicots | Rubiaceae | <i>Morinda jasminoides</i> | morinda | | C | | 1 |
| plants | higher dicots | Rubiaceae | <i>Psychotria daphnoides</i> | | | C | | 8 |
| plants | higher dicots | Rubiaceae | <i>Spermacoce brachystema</i> | | | C | | 2 |
| plants | higher dicots | Rubiaceae | <i>Psydrax odorata</i> | | | C | | 42 |
| plants | higher dicots | Rubiaceae | <i>Pavetta australiensis</i> | | | C | | 18 |
| plants | higher dicots | Rubiaceae | <i>Psychotria loniceroides</i> | hairy psychotria | | C | | 1 |
| plants | higher dicots | Rubiaceae | <i>Hodgkinsonia ovatiflora</i> | golden ash | | C | | 1 |
| plants | higher dicots | Rubiaceae | <i>Psychotria daphnoides var. daphnoides</i> | | | C | | 1/1 |
| plants | higher dicots | Rubiaceae | <i>Pavetta australiensis var. australiensis</i> | | | C | | 1 |
| plants | higher dicots | Rubiaceae | <i>Everistia vacciniifolia var. nervosa</i> | | | C | | 20 |
| plants | higher dicots | Rubiaceae | <i>Cyclophyllum coprosmoides</i> | | | C | | 35 |
| plants | higher dicots | Rutaceae | <i>Clausena brevistyla var. brevistyla</i> | | | C | | 1/1 |
| plants | higher dicots | Rutaceae | <i>Dinosperma erythroccum</i> | | | C | | 2 |
| plants | higher dicots | Rutaceae | <i>Coatesia paniculata</i> | | | C | | 4 |
| plants | higher dicots | Rutaceae | <i>Micromelum minutum</i> | clusterberry | | C | | 5 |
| plants | higher dicots | Rutaceae | <i>Sarcomelicope simplicifolia subsp. simplicifolia</i> | yellow aspen | | C | | 1 |
| plants | higher dicots | Rutaceae | <i>Acronychia</i> | | | C | | 3 |

| Kingdom | Class | Family | Scientific Name | Common Name | I | Q | A | Records |
|---------|---------------|-----------------|--|---------------------------|---|---|---|---------|
| plants | higher dicots | Rutaceae | <i>Flindersia collina</i> | broad-leaved leopard tree | | C | | 22/1 |
| plants | higher dicots | Rutaceae | <i>Murraya paniculata</i> | | | C | | 38 |
| plants | higher dicots | Rutaceae | <i>Flindersia australis</i> | crow's ash | | C | | 32 |
| plants | higher dicots | Rutaceae | <i>Geijera salicifolia</i> | brush wilga | | C | | 11 |
| plants | higher dicots | Rutaceae | <i>Bouchardata neurococca</i> | union nut | | C | | 16/4 |
| plants | higher dicots | Rutaceae | <i>Acronychia laevis</i> | glossy acronychia | | C | | 17 |
| plants | higher dicots | Rutaceae | <i>Zanthoxylum brachyacanthum</i> | | | C | | 7 |
| plants | higher dicots | Rutaceae | <i>Murraya ovatifoliolata</i> | | | C | | 1/1 |
| plants | higher dicots | Santalaceae | <i>Exocarpos latifolius</i> | | | C | | 26 |
| plants | higher dicots | Sapindaceae | <i>Elattostachys nervosa</i> | green tamarind | | C | | 1 |
| plants | higher dicots | Sapindaceae | <i>Alectryon subdentatus</i> | | | C | | 20/4 |
| plants | higher dicots | Sapindaceae | <i>Rhysotoechia bifoliolata subsp. bifoliolata</i> | | | C | | 2/1 |
| plants | higher dicots | Sapindaceae | <i>Jagera pseudorhus var. pseudorhus</i> | | | C | | 4 |
| plants | higher dicots | Sapindaceae | <i>Dodonaea viscosa</i> | | | C | | 1 |
| plants | higher dicots | Sapindaceae | <i>Cupaniopsis anacardioides</i> | tuckeroo | | C | | 5 |
| plants | higher dicots | Sapindaceae | <i>Atalaya salicifolia</i> | | | C | | 23/1 |
| plants | higher dicots | Sapindaceae | <i>Arytera divaricata</i> | coogera | | C | | 2 |
| plants | higher dicots | Sapindaceae | <i>Arytera microphylla</i> | | | C | | 12/2 |
| plants | higher dicots | Sapindaceae | <i>Alectryon connatus</i> | grey birds-eye | | C | | 27 |
| plants | higher dicots | Sapindaceae | <i>Alectryon diversifolius</i> | scrub boonaree | | C | | 3 |
| plants | higher dicots | Sapindaceae | <i>Alectryon tomentosus</i> | | | C | | 9/1 |
| plants | higher dicots | Sapindaceae | <i>Elattostachys bidwillii</i> | | | C | | 1/1 |
| plants | higher dicots | Sapindaceae | <i>Cupaniopsis parvifolia</i> | small-leaved tuckeroo | | C | | 9 |
| plants | higher dicots | Sapindaceae | <i>Cupaniopsis</i> | | | C | | 7 |
| plants | higher dicots | Sapindaceae | <i>Mischocarpus anodontus</i> | veiny pearfruit | | C | | 2 |
| plants | higher dicots | Sapindaceae | <i>Arytera foveolata</i> | pitted coogera | | C | | 4/2 |
| plants | higher dicots | Sapindaceae | <i>Jagera pseudorhus</i> | | | C | | 23 |
| plants | higher dicots | Sapindaceae | <i>Harpullia hillii</i> | | | C | | 3 |
| plants | higher dicots | Sapindaceae | <i>Harpullia pendula</i> | | | C | | 4 |
| plants | higher dicots | Sapindaceae | <i>Elattostachys xylocarpa</i> | white tamarind | | C | | 21 |
| plants | higher dicots | Sapindaceae | <i>Dodonaea lanceolata</i> | | | C | | 4 |
| plants | higher dicots | Sapotaceae | <i>Planchonella pubescens</i> | | | C | | 9 |
| plants | higher dicots | Sapotaceae | <i>Planchonella pohlmaniana</i> | | | C | | 19 |
| plants | higher dicots | Sapotaceae | <i>Planchonella cotinifolia</i> | | | C | | 26 |
| plants | higher dicots | Simaroubaceae | <i>Ailanthus triphysa</i> | white siris | | C | | 1 |
| plants | higher dicots | Solanaceae | <i>Solanum furfuraceum</i> | | | C | | 1 |
| plants | higher dicots | Solanaceae | <i>Nicotiana forsteri</i> | | | C | | 1/1 |
| plants | higher dicots | Solanaceae | <i>Solanum</i> | | | C | | 11/1 |
| plants | higher dicots | Solanaceae | <i>Solanum stelligerum</i> | devil's needles | | C | | 6/1 |
| plants | higher dicots | Sparrmanniaceae | <i>Grewia latifolia</i> | dysentery plant | | C | | 15 |
| plants | higher dicots | Sterculiaceae | <i>Brachychiton rupestris</i> | | | C | | 17 |
| plants | higher dicots | Sterculiaceae | <i>Sterculia quadrifida</i> | peanut tree | | C | | 17/1 |
| plants | higher dicots | Sterculiaceae | <i>Brachychiton discolor</i> | | | C | | 1 |
| plants | higher dicots | Sterculiaceae | <i>Brachychiton australis</i> | broad-leaved bottle tree | | C | | 19/3 |
| plants | higher dicots | Sterculiaceae | <i>Brachychiton bidwillii</i> | little kurrajong | | C | | 24/1 |
| plants | higher dicots | Thymelaeaceae | <i>Wikstroemia indica</i> | tie bush | | C | | 1 |

| Kingdom | Class | Family | Scientific Name | Common Name | I | Q | A | Records |
|---------|---------------|-------------------|---|----------------------------|---|---|---|---------|
| plants | higher dicots | Ulmaceae | <i>Aphananthe philippinensis</i> | | | C | | 5 |
| plants | higher dicots | Urticaceae | <i>Dendrocnide photinophylla</i> | shiny-leaved stinging tree | | C | | 19 |
| plants | higher dicots | Verbenaceae | <i>Lantana</i> | | | C | | 1 |
| plants | higher dicots | Violaceae | <i>Hybanthus stellarioides</i> | | | C | | 1/1 |
| plants | higher dicots | Vitaceae | <i>Clematicissus opaca</i> | | | C | | 26/2 |
| plants | higher dicots | Vitaceae | <i>Cissus repens</i> | | | C | | 1/1 |
| plants | higher dicots | Vitaceae | <i>Cissus hypoglauca</i> | | | C | | 7 |
| plants | higher dicots | Vitaceae | <i>Tetrastigma nitens</i> | shining grape | | C | | 1 |
| plants | higher dicots | Vitaceae | <i>Cissus reniformis</i> | | | C | | 2/1 |
| plants | higher dicots | Vitaceae | <i>Cissus antarctica</i> | | | C | | 5 |
| plants | higher dicots | Vitaceae | <i>Cissus oblonga</i> | | | C | | 39/2 |
| plants | higher dicots | Vitaceae | <i>Cayratia acris</i> | hairy grape | | C | | 1 |
| plants | higher dicots | Vitaceae | <i>Cayratia clematidea</i> | slender grape | | C | | 7 |
| plants | liverworts | Marchantiaceae | <i>Marchantia foliacea</i> | | | C | | 1/1 |
| plants | lower dicots | Annonaceae | <i>Fitzalania heteropetala</i> | | | C | | 1 |
| plants | lower dicots | Annonaceae | <i>Melodorum leichhardtii</i> | | | C | | 50 |
| plants | lower dicots | Lauraceae | <i>Cassytha pubescens</i> | downy devil's twine | | C | | 3 |
| plants | lower dicots | Lauraceae | <i>Cassytha</i> | | | C | | 14 |
| plants | lower dicots | Lauraceae | <i>Cryptocarya triplinervis</i> | | | C | | 16 |
| plants | lower dicots | Menispermaceae | <i>Tinospora smilacina</i> | snakevine | | C | | 2/1 |
| plants | lower dicots | Menispermaceae | <i>Pleogyne australis</i> | wiry grape | | C | | 32/1 |
| plants | lower dicots | Menispermaceae | <i>Stephania japonica</i> | | | C | | 1 |
| plants | lower dicots | Monimiaceae | <i>Wilkiea macrophylla</i> | large-leaved wilkiea | | C | | 1 |
| plants | lower dicots | Piperaceae | <i>Peperomia blanda var. floribunda</i> | | | C | | 1 |
| plants | lower dicots | Ranunculaceae | <i>Clematis glycinoides</i> | | | C | | 2 |
| plants | monocots | Amaryllidaceae | <i>Proiphys cunninghamii</i> | Moreton Bay lily | | C | | 4/1 |
| plants | monocots | Araceae | <i>Gymnostachys anceps</i> | settler's flax | | C | | 11 |
| plants | monocots | Araceae | <i>Typhonium brownii</i> | black arum lily | | C | | 1 |
| plants | monocots | Araceae | <i>Alocasia brisbanensis</i> | | | C | | 3 |
| plants | monocots | Commelinaceae | <i>Aneilema acuminatum</i> | | | C | | 1/1 |
| plants | monocots | Commelinaceae | <i>Commelina diffusa</i> | wandering jew | | C | | 1 |
| plants | monocots | Cyperaceae | <i>Bulbostylis barbata</i> | | | C | | 1 |
| plants | monocots | Cyperaceae | <i>Cyperus gracilis</i> | | | C | | 8/2 |
| plants | monocots | Cyperaceae | <i>Gahnia aspera</i> | | | C | | 31 |
| plants | monocots | Cyperaceae | <i>Scleria sphacelata</i> | | | C | | 8/2 |
| plants | monocots | Cyperaceae | <i>Scleria mackaviensis</i> | | | C | | 2 |
| plants | monocots | Cyperaceae | <i>Cyperus curvistylis</i> | | | C | | 1 |
| plants | monocots | Cyperaceae | <i>Cyperus</i> | | | C | | 2 |
| plants | monocots | Cyperaceae | <i>Scleria</i> | | | C | | 5 |
| plants | monocots | Cyperaceae | <i>Fimbristylis dichotoma</i> | common fringe-rush | | C | | 1 |
| plants | monocots | Cyperaceae | <i>Cyperus enervis</i> | | | C | | 1/1 |
| plants | monocots | Dioscoreaceae | <i>Dioscorea transversa</i> | native yam | | C | | 12 |
| plants | monocots | Hemerocallidaceae | <i>Dianella caerulea</i> | | | C | | 22 |
| plants | monocots | Hemerocallidaceae | <i>Dianella</i> | | | C | | 14/1 |
| plants | monocots | Hemerocallidaceae | <i>Dianella caerulea var. assera</i> | | | C | | 2 |
| plants | monocots | Hemerocallidaceae | <i>Dianella rara</i> | | | C | | 2/1 |

| Kingdom | Class | Family | Scientific Name | Common Name | I | Q | A | Records |
|---------|----------|-------------------|--|----------------------|---|---|---|---------|
| plants | monocots | Hemerocallidaceae | <i>Dianella caerulea var. vannata</i> | | | C | | 2 |
| plants | monocots | Hemerocallidaceae | <i>Geitonoplesium cymosum</i> | scrambling lily | | C | | 23 |
| plants | monocots | Hemerocallidaceae | <i>Dianella brevipedunculata</i> | | | C | | 3/2 |
| plants | monocots | Hemerocallidaceae | <i>Dianella revoluta</i> | | | C | | 6/1 |
| plants | monocots | Laxmanniaceae | <i>Lomandra multiflora</i> | | | C | | 1/1 |
| plants | monocots | Laxmanniaceae | <i>Eustrephus latifolius</i> | wombat berry | | C | | 24 |
| plants | monocots | Laxmanniaceae | <i>Lomandra confertifolia</i> | | | C | | 6 |
| plants | monocots | Laxmanniaceae | <i>Lomandra</i> | | | C | | 14 |
| plants | monocots | Laxmanniaceae | <i>Lomandra confertifolia subsp. pallida</i> | | | C | | 1 |
| plants | monocots | Laxmanniaceae | <i>Lomandra filiformis</i> | | | C | | 2 |
| plants | monocots | Laxmanniaceae | <i>Laxmannia gracilis</i> | slender wire lily | | C | | 2/1 |
| plants | monocots | Laxmanniaceae | <i>Lomandra multiflora subsp. multiflora</i> | | | C | | 10 |
| plants | monocots | Laxmanniaceae | <i>Lomandra hystrix</i> | | | C | | 3 |
| plants | monocots | Laxmanniaceae | <i>Lomandra longifolia</i> | | | C | | 5 |
| plants | monocots | Orchidaceae | <i>Cymbidium canaliculatum</i> | | | C | | 3/1 |
| plants | monocots | Orchidaceae | <i>Cymbidium</i> | | | C | | 1 |
| plants | monocots | Orchidaceae | <i>Saccolabiopsis armitii</i> | | | C | | 2/1 |
| plants | monocots | Orchidaceae | <i>Sarcochilus dilatatus</i> | brown sarcochilus | | C | | 5/1 |
| plants | monocots | Orchidaceae | <i>Dockrillia bowmanii</i> | scrub pencil orchid | | C | | 7 |
| plants | monocots | Orchidaceae | <i>Dockrillia teretifolia</i> | rat's tail orchid | | C | | 1 |
| plants | monocots | Orchidaceae | <i>Dockrillia linguiformis</i> | tongue orchid | | C | | 4/1 |
| plants | monocots | Orchidaceae | <i>Dockrillia mortii</i> | | | C | | 5 |
| plants | monocots | Orchidaceae | <i>Geodorum densiflorum</i> | pink nodding orchid | | C | | 6 |
| plants | monocots | Poaceae | <i>Entolasia stricta</i> | wiry panic | | C | | 2 |
| plants | monocots | Poaceae | <i>Digitaria ramularis</i> | | | C | | 2 |
| plants | monocots | Poaceae | <i>Cymbopogon refractus</i> | barbed-wire grass | | C | | 4 |
| plants | monocots | Poaceae | <i>Enteropogon unispiceus</i> | | | C | | 5 |
| plants | monocots | Poaceae | <i>Eremochloa bimaculata</i> | poverty grass | | C | | 1 |
| plants | monocots | Poaceae | <i>Eragrostis spartinoides</i> | | | C | | 1 |
| plants | monocots | Poaceae | <i>Eragrostis sororia</i> | | | C | | 2 |
| plants | monocots | Poaceae | <i>Eragrostis megalosperma</i> | | | C | | 1 |
| plants | monocots | Poaceae | <i>Eragrostis elongata</i> | | | C | | 1/1 |
| plants | monocots | Poaceae | <i>Heteropogon contortus</i> | black speargrass | | C | | 2 |
| plants | monocots | Poaceae | <i>Imperata cylindrica</i> | blady grass | | C | | 1 |
| plants | monocots | Poaceae | <i>Chrysopogon fallax</i> | | | C | | 2 |
| plants | monocots | Poaceae | <i>Chloris divaricata var. divaricata</i> | slender chloris | | C | | 2 |
| plants | monocots | Poaceae | <i>Arundinella nepalensis</i> | reedgrass | | C | | 16 |
| plants | monocots | Poaceae | <i>Ancistrachne uncinulata</i> | hooky grass | | C | | 43 |
| plants | monocots | Poaceae | <i>Leptochloa decipiens subsp. asthenes</i> | | | C | | 2/2 |
| plants | monocots | Poaceae | <i>Panicum simile</i> | | | C | | 3/1 |
| plants | monocots | Poaceae | <i>Chloris</i> | | | C | | 1 |
| plants | monocots | Poaceae | <i>Urochloa whiteana</i> | | | C | | 1 |
| plants | monocots | Poaceae | <i>Digitaria diffusa</i> | | | C | | 1/1 |
| plants | monocots | Poaceae | <i>Oplismenus aemulus</i> | creeping shade grass | | C | | 4/1 |
| plants | monocots | Poaceae | <i>Aristida</i> | | | C | | 20/1 |
| plants | monocots | Poaceae | <i>Leersia hexandra</i> | swamp rice grass | | C | | 1/1 |

| Kingdom | Class | Family | Scientific Name | Common Name | I | Q | A | Records |
|---------|----------|------------------|---|------------------|---|---|---|---------|
| plants | monocots | Poaceae | <i>Paspalidium distans</i> | shotgrass | | C | | 2 |
| plants | monocots | Poaceae | <i>Sporobolus elongatus</i> | | | C | | 1 |
| plants | monocots | Poaceae | <i>Panicum effusum</i> | | | C | | 2 |
| plants | monocots | Poaceae | <i>Tragus australianus</i> | small burr grass | | C | | 3 |
| plants | monocots | Poaceae | <i>Aristida queenslandica var. dissimilis</i> | | | C | | 1 |
| plants | monocots | Poaceae | <i>Aristida gracilipes</i> | | | C | | 4/1 |
| plants | monocots | Poaceae | <i>Chrysopogon sylvaticus</i> | | | C | | 5 |
| plants | monocots | Poaceae | <i>Panicum pygmaeum</i> | dwarf panic | | C | | 1/1 |
| plants | monocots | Poaceae | <i>Panicum</i> | | | C | | 5 |
| plants | monocots | Poaceae | <i>Ottochloa nodosa</i> | | | C | | 4 |
| plants | monocots | Poaceae | <i>Eragrostis</i> | | | C | | 3 |
| plants | monocots | Poaceae | <i>Bothriochloa decipiens var. decipiens</i> | | | C | | 2 |
| plants | monocots | Smilacaceae | <i>Smilax australis</i> | barbed-wire vine | | C | | 45 |
| plants | monocots | Xanthorrhoeaceae | <i>Xanthorrhoea</i> | | | C | | 1 |
| plants | mosses | Moss | <i>Moss</i> | | | C | | 2/2 |

CODES

I - Y indicates that the taxon is introduced to Queensland and has naturalised.

Q - Indicates the Queensland conservation status of each taxon under the *Nature Conservation Act 1992*. The codes are Presumed Extinct (PE), Endangered (E), Vulnerable (V), Rare (R), Common (C) or Not Protected ().

A - Indicates the Australian conservation status of each taxon under the *Environment Protection and Biodiversity Conservation Act 1999*. The values of EPBC are Conservation Dependent (CD), Critically Endangered (CE), Endangered (E), Extinct (EX), Extinct in the Wild (XW) and Vulnerable (V).

Records – The first number indicates the total number of records of the taxon for the record option selected (i.e. All, Confirmed or Specimens).

This number is output as 99999 if it equals or exceeds this value. The second number located after the / indicates the number of specimen records for the taxon.

This number is output as 999 if it equals or exceeds this value.